

Privacy Solutions



Privacy Solutions

Under-Surface Mount			. <u>PS2-PS14</u>
Above-Surface Mount			.PS15-PS20
Edge Mount			<u>PS21</u>
Side Mount			.PS22-PS23
Freestanding Soft-Sided .			.PS24-PS33
Freestanding Hard-Sided.			.PS34-PS35



Privacy Solutions - Cleaning Guidelines

We offer numerous textile and hard surface options that will stand up to the rigors of frequent bleach cleaning, ranging from untreated surfaces to those with anti-microbial topcoats. Please contact our Customer Support Team today for more information.

MATERIALS:

ACRYLIC: water based foam or cleaner and bleach cleanable (5:1)*

ACOUSTIC PET: bleach solution cleanable (2% bleach)*

HPL LAMINATE: recommended by suppliers: Clorox Healthcare Bleach Germicidal wipes, Virex II 256, PDI Super Sani-Cloth wipes, PDI Sani-Prime Germicidal spray

TFL LAMINATE: cleaning guidelines will vary between manufacturer; cleaning details available upon request

VENEER: first clean with warm soapy water - do not soak. Pledge Antibacterial cleaner or bleach free disinfectant wipes are recommended

COATED FABRIC: water based foam or cleaner and bleach cleanable $(4:1)^*$

FABRIC: cleaning guidelines will vary between fabric type, pattern and manufacturer; see material recommendations for bleach-solution cleanable fabrics

*Bleach solution cleanable:

Complies with BIFMA HCF 8.1 guidelines Important to rinse repeatedly with cool, clean water after cleaning to remove all residueMore cleaning details from raw material suppliers available upon request

All surfaces with the exception of some fabrics can be cleaned with Clorox Healthcare Bleach Germicidal Wipes as well as bleach free wipes. This includes all coated fabric, laminate, acrylic and metal surfaces.



Description	D	W	Н	CTN WT	CU FT	1 Model	List Price
Acrylic Privacy Screen	1/4	71 1/8	275/8	23	3	GP7228LU-ACR	\$1,039
	1/4	65 %	275/8	21	3	GP6628LU-ACR	\$983
	1/4	59 5/8	275/8	19	3	GP6028LU-ACR	\$879
	1/4	53 5/8	275/8	18	3	GP5428LU-ACR	\$861
	1/4	47 5/8	27 %	16	2	GP4828LU-ACR	\$773
	1/4	41 1/8	275/8	14	2	GP4228LU-ACR	\$724
	1/4	35%	275/8	13	2	GP3628LU-ACR	\$645
	1/4	29 %	275/8	11	2	GP3028LU-ACR	\$596
	1/4	23 5/8	275/8	10	1	GP2428LU-ACR	\$530
TO THE REAL PROPERTY.							

- \cdot bracket attaches to bottom of worksurface with wood screws
- · minimum worksuface overhang clearance for bracket: 1"
- · height above worksuface: 24"
- · wire pass-through
- · bracket visible on approach side only
- · corners: 3/4" radius
- · see cleaning guidelines for cleaning information

To Order, Specify:

Model Number



a. acrylic - frosted or clear

b. metal - matte black or arctic silver

Acoustic PET Privacy Screen

in application





1/2	71 %	275/8	10	4	GP7228LU-PET	\$1,005
1/2	65 %	27 %	10	3	GP6628LU-PET	\$989
1/2	59 %	27 %	9	3	GP6028LU-PET	\$956
1/2	53 %	27%	9	3	GP5428LU-PET	\$931
1/2	47 %	27%	8	3	GP4828LU-PET	\$628
1/2	41 %	27%	7	2	GP4228LU-PET	\$618
1/2	35 %	27%	7	2	GP3628LU-PET	\$594
1/2	29 %	27%	6	2	GP3028LU-PET	\$487
1/2	23 1/8	27%	5	2	GP2428LU-PET	\$363

Features:

- · bracket attaches to bottom of worksurface with wood screws
- · minimum worksuface overhang clearance for bracket: 1"
- · height above worksuface: 24"
- · wire pass-through
- · bracket visible on approach side only
- · corners: 3/4" radius
- $\boldsymbol{\cdot}$ see cleaning guidelines for cleaning information

To Order, Specify:

1 Model Number



a. PET - ash grey or siver grey

b. metal - matte black or arctic silver



Description		D	W	Н	CTN WT	CU FT	1 Model	List Price
Acoustic PET/Magr	netic Marker-	1/2	71%	27%	14	4	GP7228LU-PETMB1	\$2,206
board Privacy Scree	en	1/2	65 %	27 %	13	3	GP6628LU-PETMB1	\$2,201
		1/2	59 %	27 %	12	3	GP6028LU-PETMB1	\$2,196
	one side:	1/2	53 %	27%	11	3	GP5428LU-PETMB1	\$1,264
<u> </u>	acoustic PET	1/2	47 %	27 %	10	3	GP4828LU-PETMB1	\$909
<u> </u>			41 %	27%	9	2	GP4228LU-PETMB1	\$906
		1/2	35 %	27%	8	2	GP3628LU-PETMB1	\$903
	opposite side: magnetic	1/2	29 %	27%	8	2	GP3028LU-PETMB1	\$901
	markerboard	1/2	23 %	27 %	7	2	GP2428LU-PETMB1	\$589
		Features						




- \cdot bracket attaches to bottom of worksurface with wood screws
- \cdot minimum worksuface overhang clearance for bracket: $1^{\prime\prime}$
- $\cdot\,$ one side acoustic PET, opposite side magnetic markerboard
- $\cdot\,$ PET is silver grey
- · height above worksuface: 24"
- · wire pass-through
- · bracket visible on approach side only
- · corners: 34" radius
- $\boldsymbol{\cdot}$ see cleaning guidelines for cleaning information

- 1 Model Number
- 2 Metal Finish: matte black or arctic silver



Description	D	W	Н	CTN WT	CU FT	• Model	List Price
Dual Magnetic Markerboard	1/2	71 %	27 %	17	4	GP7228LU-PETMB2	\$3,423
Privacy Screen	1/2	65%	275/8	16	3	GP6628LU-PETMB2	\$3,419
	1/2	59 %	275/8	15	3	GP6028LU-PETMB2	\$3,415
	1/2	53 %	27 5/8	14	3	GP5428LU-PETMB2	\$1,876
57	1/2	47 5/8	275/8	12	3	GP4828LU-PETMB2	\$1,315
=	1/2	41 1 1/8	275/8	11	2	GP4228LU-PETMB2	\$1,310
	1/2	35%	275/8	10	2	GP3628LU-PETMB2	\$1,308
	1/2	29 %	27 %	9	2	GP3028LU-PETMB2	\$1,306
	1/2	23 %	275/8	8	2	GP2428LU-PETMB2	\$791



- · bracket attaches to bottom of worksurface with wood screws
- · minimum worksuface overhang clearance for bracket: 1"
- · exposed edges in PET silver grey
- · height above worksuface: 24"
- · wire pass-through
- · bracket visible on approach side only
- · corners: 3/4" radius
- $\cdot\,$ see cleaning guidelines for cleaning information

To Order, Specify:

1 Model Number

2 Metal Finish: matte black or arctic silver



in application

Description	D	W	Н	CTN WT	CU FT	• Model	List Price
TFL Privacy Screen	3/4	71%	27 5/8	46	4	GP7228LU-TFL	\$538
•	3/4	65 %	27 %	43	4	GP6628LU-TFL	\$523
	3/4	59 %	27 5/8	39	3	GP6028LU-TFL	\$509
	3/4	53 %	275/8	36	3	GP5428LU-TFL	\$493
	3/4	47 5/8	275/8	32	3	GP4828LU-TFL	\$434
<u> </u>	3/4	41 %	27 %	28	3	GP4228LU-TFL	\$417
	3/4	35%	275/8	24	2	GP3628LU-TFL	\$401
	3/4	29 %	27 %	21	2	GP3028LU-TFL	\$388
	3/4	23 5/8	275/8	17	2	GP2428LU-TFL	\$371
	Footures						

Features:

- · bracket attaches to bottom of worksurface with wood screws
- · minimum worksuface overhang clearance for bracket: 1"
- · edges are matching PVC
- · height above worksuface: 24"
- · wire pass-through
- · bracket visible on approach side only
- · corners: 1/8" radius
- · see cleaning guidelines for cleaning information

To Order, Specify:

- Model Number
- 2 Laminate Color
- 3 Metal Finish: matte black or arctic silver

2 Laminate Color

Solid Patterns:
ALB Alabaster
BLK Black
BBL Bridal Blanco
DWH Designer White
SHD Shadow
SLG Slate Grey
ZEN Zen Grey

 Wood Grain Patterns:

 BEL
 Belair
 FLO
 Florence Walnut

 BRK
 Brickdust
 LOF
 Loft

 CSK
 Cask
 MES
 Mesa

 CLY
 Clay
 MIN
 Mineral

 EGR
 Egret
 MCH
 Mocha

 FAW
 Fawn
 OBK
 Outback

 FLN
 Flint
 PIL
 Pilsner

PIN Pinnacle Walnut UMB Umber VAL Valley WLH Walnut Heights WEA Weathered Ash



Description	D	W	Н	CTN WT	CU FT	1 Model	List Price
Acrylic Privacy Screen	1/4	71 1/8	27%	22	3	GP7224FU-ACR	\$1,186
_	1/4	65 %	27 5/8	21	3	GP6624FU-ACR	\$1,118
	1/4	59 %	27 5/8	19	3	GP6024FU-ACR	\$990
	1/4	53 %	27 %	18	3	GP5424FU-ACR	\$968
. <u>B</u>	1/4	47 %	27 1/8	16	2	GP4824FU-ACR	\$884
	1/4	41 1/8	27 %	14	2	GP4224FU-ACR	\$828
	1/4	35 %	27 5/8	13	2	GP3624FU-ACR	\$735
	1/4	29 5/8	275/8	11	2	GP3024FU-ACR	\$658
	1/4	23 5/8	275/8	10	1	GP2424FU-ACR	\$581

- · bracket attaches to bottom of worksurface with wood screws
- \cdot minimum worksuface overhang clearance for bracket: $3\,\%''$
- · height above worksuface: 24"
- · wire pass-through
- · corners: 3/4" radius
- $\cdot\,$ see cleaning guidelines for cleaning information
- · exposed bolts on approach side

- 1 Model Number
- 2 Acrylic Options: frosted or clear



Description	D	W	Н	CTN WT	CU FT	• Model	List Price
Acoustic PET/Magnetic	1/2	71 %	27 %	14	5	GP7224FU-PETMB1	\$2,122
Markerboard Privacy Screen	1/2	65 %	27 %	13	5	GP6624FU-PETMB1	\$2,118
	1/2	59 %	27 %	12	4	GP6024FU-PETMB1	\$2,116
	1/2	53 %	27 %	11	4	GP5424FU-PETMB1	\$1,182
[5 7 ₆]	1/2	47 %	27 %	10	3	GP4824FU-PETMB1	\$874
<u> </u>	1/2	41 %	27 %	9	3	GP4224FU-PETMB1	\$872
_	1/2	35 %	27 %	9	3	GP3624FU-PETMB1	\$868
	1/2	29 %	27 %	8	2	GP3024FU-PETMB1	\$866
	1/2	23 %	27 %	7	2	GP2424FU-PETMB1	\$556
	Features		to hottom	of worken	urface with	wood scraws	

- · bracket attaches to bottom of worksurface with wood screws
- · minimum worksuface overhang clearance for bracket: 3 1/8"
- $\cdot\,$ one side acoustic PET, opposite side magnetic markerboard
- · PET is silver grey
- · height above worksuface: 24"
- · wire pass-through
- · corners: square
- $\boldsymbol{\cdot}$ see cleaning guidelines for cleaning information
- · exposed bolts on approach side

To Order, Specify:

1 Model Number



Description	D	W	Н	CTN WT	CU FT	• Model	List Price
Dual Magnetic Markerboard	1/2	71%	27%	17	5	GP7224FU-PETMB2	\$3,340
Privacy Screen	1/2	65 %	27 %	16	5	GP6624FU-PETMB2	\$3,337
	1/2	59 5/8	27 5/8	15	4	GP6024FU-PETMB2	\$3,333
	1/2	53 %	27 1/8	14	4	GP5424FU-PETMB2	\$1,793
57	1/2	47 %	27 %	13	3	GP4824FU-PETMB2	\$1,280
<u>b</u>	1/2	41 %	27 %	11	3	GP4224FU-PETMB2	\$1,277
	1/2	35 %	275/8	10	3	GP3624FU-PETMB2	\$1,275
	1/2	29 5/8	27 5/8	9	2	GP3024FU-PETMB2	\$1,270
	1/2	23 5/8	27 %	8	2	GP2424FU-PETMB2	\$755

- · bracket attaches to bottom of worksurface with wood screws
- \cdot minimum worksuface overhang clearance for bracket: $3\,\%''$
- \cdot exposed edges in PET silver grey
- · height above worksuface: 24"
- · wire pass-through
- · corners: square
- $\cdot\,$ see cleaning guidelines for cleaning information
- · exposed bolts on approach side

To Order, Specify:

1 Model Number

PIN Pinnacle Walnut

WLH Walnut Heights

WEA Weathered Ash

UMB Umber VAL Valley



Description	D	W	Н	CTN WT	CU FT	1 Model	List Price
TFL Privacy Screen	3/4	71 1/8	275/8	46	5	GP7224FU-TFL	\$454
	3/4	65%	275/8	43	5	GP6624FU-TFL	\$441
	3/4	59 5/8	275/8	39	4	GP6024FU-TFL	\$427
	3/4	53 %	275/8	35	4	GP5424FU-TFL	\$411
<u> </u>	3/4	47 5/8	275/8	32	4	GP4824FU-TFL	\$399
<u> </u>	3/4	41 %	275/8	28	3	GP4224FU-TFL	\$381
	3/4	35%	275/8	25	3	GP3624FU-TFL	\$367
	3/4	29 %	27 %	21	3	GP3024FU-TFL	\$353
	3/4	23 5/8	27%	18	2	GP2424FU-TFL	\$335

Features:

- $\boldsymbol{\cdot}$ bracket attaches to bottom of worksurface with wood screws
- \cdot minimum worksuface overhang clearance for bracket: $3\,\%''$
- · edges are matching PVC
- · height above worksuface: 24"
- · wire pass-through
- · corners: square
- $\cdot\,$ see cleaning guidelines for cleaning information
- · exposed bolts on approach side

To Order, Specify:



2 Laminate Color

Solid Patterns: Wood Grain Patterns: ALB Alabaster BEL Belair FLO Florence Walnut BRK Brickdust LOF Loft BLK Black BBL Bridal Blanco CSK Cask MES Mesa DWH Designer White CLY Clay MIN Mineral SHD Shadow EGR Egret MCH Mocha SLG Slate Grey FAW Fawn **OBK** Outback ZEN Zen Grey FLN Flint PIL Pilsner



Description	D	W	Н	CTN WT	CU FT	1 Model		Price Grade			
abric Privacy Screen	1 1/8	72	27 %	52	8	GP7228FU-EMTK	СОМ	\$1,593			
	Features:							\$1,78			
	· bracket at	taches to b	ottom of work	surface with	wood screws			\$1,823 \$1,93			
		· minimum worksuface overhang clearance for bracket: 3 1/8"									
	· height abo		ace: 24"					\$2,09			
	· wire pass- · corners: so	-						\$2,24			
		•	es for cleanin	g informatio	n			\$2,40			
	· com ydg:	4 1/2						\$2,60			
								\$2,89 \$2,98			
								\$3,23			
	441		0754	10		ODOGOGEU FATIV		\$1,55			
bric Privacy Screen	1 1/8	66	27 %	48	8	GP6628FU-EMTK		\$1,73			
	Features:							\$1,77			
			ottom of work overhang cle		wood screws			\$1,88			
B	· height abo		-	alalice lui b	Idunet. 3 78			\$2,03			
<u> </u>	· wire pass-							\$2,17			
	· corners: so							\$2,32			
			es for cleanin	g informatio	n			\$2,51			
	· com ydg: 4	4 74					Н	\$2,78			
							1	\$2,87			
							J	\$3,10			
bric Privacy Screen	1 1/8	60	27 %	44	7	GP6028FU-EMTK	СОМ	\$1,52			
	Features:						Α	\$1,69			
		taches to b	ottom of work	surface with	wood screws		В	\$1,72			
		 bracket attaches to bottom of worksurface with wood screws minimum worksuface overhang clearance for bracket: 3 %" 									
		· height above worksuface: 24"									
		wire pass-throughcorners: square									
			es for cleanin	ø informatio	n		F	\$2,24			
	· com ydg:	0 0	cs for dicariir	S IIIIOIIIIatio	"		G	\$2,42			
	, 0						Н	\$2,68			
								\$2,76			
							J	\$2,98			
bric Privacy Screen	1?1/8	54	27?5/8	40	6	GP5428FU-EMTK		\$1,48			
	Features:							\$1,63			
					wood screws			\$1,66 \$1,75			
<u>B</u>	· minimum · height abo		overhang cle	arance for b	racket: 3 1/8"						
b	wire pass-		acc. 24					\$1,87 \$1,99			
	· corners: so	-						\$2,12			
	· see cleani	ng guidelin	es for cleanin	g informatio	n			\$2,12			
	· com ydg: 3	31/2						\$2,50			
								\$2,57			
								\$2,77			
bric Privacy Screen	1 1/8	48	27 %	36	6	GP4828FU-EMTK	СОМ	\$1,26			
	Features:						Α	\$1,39			
		taches to h	ottom of work	surface with	wood screws		В	\$1,42			
			overhang cle				С	\$1,50			
B	· height abo	ve worksuf					D	\$1,62			
	· wire pass-	-						\$1,72 \$1,84			
		· corners: square									
		 see cleaning guidelines for cleaning information com ydg: 3 ¼ 									
	33.11 Jug. (Н	\$2,20			
							I	\$2,26			
								\$2,44			



Description	D	W	Н	CTN WT	CU FT	Model	Per	Price Grade				
Fabric Privacy Screen	1 1/8	42	27%	32	5	GP4228FU-EMTK		\$1,225				
	Features:							\$1,353				
	· bracket at		\$1,379 \$1,454									
n		 minimum worksuface overhang clearance for bracket: 3 ½" height above worksuface: 24" 										
B			ace: 24"					\$1,560				
	wire pass-corners: so							\$1,658				
		-	es for cleanin	ng informatio	n			\$1,767				
	· com ydg: 3			0				\$1,898				
								\$2,093				
								\$2,155				
								\$2,323				
Fabric Privacy Screen	1 1/8	36	27%	28	4	GP3628FU-EMTK		\$1,192				
	Features:							\$1,298				
					n wood screws			\$1,320 \$1,383				
			overhang cle	arance for b	racket: 3 1/8"							
b	 height abo wire pass- 		auc. 24					\$1,472 \$1,553				
	· corners: so							\$1,644				
	· see cleani	ng guideline	es for cleanin	ng informatio	n			\$1,753				
	· com ydg: 2	2 1/2						\$1,755				
								\$1,970				
								\$2,111				
Fabric Privacy Screen	1 1/8	30	27%	24	4	GP3028FU-EMTK		\$1,097				
	Features:							\$1,193				
					n wood screws			\$1,213 \$1,269				
Ь	· minimum · height abo		overhang cle	arance for b	racket: 3 1/8"			\$1,209				
b	wire pass-		acc. 24					\$1,422				
	· corners: so							\$1,504				
			es for cleanin	ng informatio	n			\$1,602				
	· com ydg: 2	2 1/4						\$1,750				
								\$1,798				
								\$1,798				
Fabric Privacy Screen	11/8	24	27%	20	3	GP2428FU-EMTK	СОМ	\$999				
rablic Plivacy Screen		24	2178	20	3	CI 2420I O-LIVIII		\$1,084				
	Features:	taabaa ta bu	attam of worl	rounfooo with	a wood oorowo			\$1,101				
			ottom of work overhang cle		wood screws			\$1,151				
B	· height abo		-					\$1,222				
	wire pass-							\$1,287				
	corners: so							\$1,360				
			es for cleanin	ng informatio	n			\$1,447				
	· com ydg: 2	۷						\$1,579				
								\$1,622				
								\$1,735				
	To Order, S	pecify:										
	_											

1 Model Number

2 Fabric Selection - vendor, pattern and color

 $\label{thm:www.jsifurniture.com/finishes-and-materials/textiles} for our textiles \ program.$

See selection of standard and graded in manufacturers and patterns.



Description	D	W	Н	CTN WT	CU FT	1 Model	List Price
Acrylic Privacy Screen	1/4	71 1/4	23 %	20	4	GP7224SS-ACR	\$1,197
	1/4	65 1/4	23 5/8	19	4	GP6624SS-ACR	\$1,171
	1/4	59 1/4	23 5/8	17	3	GP6024SS-ACR	\$1,051
	1/4	53 1/4	23 5/8	16	3	GP5424SS-ACR	\$999
	1/4	47 1/4	23 1/8	14	3	GP4824SS-ACR	\$872
	1/4	41 1/4	23 5/8	13	3	GP4224SS-ACR	\$831
	1/4	35 1/4	23 5/8	11	2	GP3624SS-ACR	\$713
	1/4	29 1/4	23 %	10	2	GP3024SS-ACR	\$607
	1/4	23 1/4	23 5/8	9	2	GP2424SS-ACR	\$558
	_						

in application

- · bracket attaches to top side of worksurface with wood screws
- · height above worksuface: 24"
- · corners: 3/4" radius
- \cdot see cleaning guidelines for cleaning information

- 1 Model Number
- 2 Acrylic Options: frosted or clear



Description	D	W	Н	CTN WT	CU FT	• Model	List Price
Acrylic Privacy Screen	1/4	71 1/4	23 %	20	4	GP7224VS-ACR	\$1,206
_	1/4	65 1/4	23 %	19	4	GP6624VS-ACR	\$1,179
	1/4	59 1/4	23 %	17	3	GP6024VS-ACR	\$1,062
	1/4	53 1/4	23 %	16	3	GP5424VS-ACR	\$1,011
	1/4	47 1/4	23 %	14	3	GP4824VS-ACR	\$887
	1/4	41 1/4	23 %	13	3	GP4224VS-ACR	\$833
	1/4	35 1/4	23 %	11	2	GP3624VS-ACR	\$717
	1/4	29 ½	23 %	10	2	GP3024VS-ACR	\$617
	1/4	23 ½	23 %	9	2	GP2424VS-ACR	\$567

- · bracket attaches to top side of worksurface with wood screws
- · height above worksuface: 24"
- · corners: 3/4" radius
- $\boldsymbol{\cdot}$ see cleaning guidelines for cleaning information

To Order, Specify:

1 Model Number

2 Acrylic Options: frosted or clear



Description	D	W	н	CTN WT	CU FT	1 Model	TFL Block	Essentials Block	Artisan Block
Freestanding Above Surface	1/4	47 3/4	23¾	14	4	GPT4824DTS-ACR	\$749		
Acrylic Privacy Screen	1/4	47 3/4	23¾	14	4	GPV4824DTS-ACR		\$887	\$901

with Support Block



Features:

- · sits on top of worksurface
- · height above worksuface: 24"
- · corners: 3/4" radius
- · see cleaning guidelines for cleaning information
- · stability block dimensions: 1 1/8 "h x 27" w x 6" d
- · ships flat

Options:

- · GPT4824DTS-ACR specify JSI standard laminate
- · GPV4824DTS-ACR specify Essentials or Artisan Veneer and Finish

To Order, Specify:



2 Laminate Color



Solid Patterns: Wood Grain Patterns: ALB Alabaster BEL Belair FLO Florence Walnut PIN Pinnacle Walnut BLK Black BRK Brickdust LOF Loft UMB Umber BBL Bridal Blanco CSK Cask MES Mesa VAL Valley DWH Designer White CLY Clay MIN Mineral WLH Walnut Heights SHD Shadow EGR Egret MCH Mocha WEA Weathered Ash SLG Slate Grey FAW Fawn **OBK** Outback ZEN Zen Grey FLN Flint PIL Pilsner

To Order, Specify:

- 1 Model Number
- 2 Wood Finish



BAR Barrel

EGR Egret RAV Raven

BUF Buff CND Cinder

Essentials: BRK Brickdust CSK Cask CLY Clay FAW Fawn FLX Flax FLN Flint Artisan:

SIE Sienna MES Mesa TRF Truffle MIN Mineral UMB Umber MCH Mocha VAL Valley **OBK** Outback PIL Pilsner

RYE Rye SAB Sable SAD Saddle



Description	D	W	Н	CTN WT	CU FT	1 Model	List Price
Straight Acrylic Add On Screen Kit	1/4	89 1/4	151/2	19	5	GPS1690-ACR	\$1,170



- · bracket attaches to top side of worksurface with hardware and screws
- · height above worksuface: 16"
- · corners ¾" radius
- $\boldsymbol{\cdot}$ see cleaning guidelines for cleaning information
- · brackets are satin nickel
- · 6 brackets included
- · used with: CTL3306, CTL3304

- 1 Model Number
- 2 Acrylic Options: frosted or clear



\$806

Description	D	W	Н	WT	CU FT	1 Model	List Price
Straight Acrylic Add On Screen Kit	1/4	69 1/4	15½	15	4	GPS1670-ACR	\$939

GPS1660-ACR



Features:

- · bracket attaches to top side of worksurface with hardware and screws
- · height above worksuface: 16"
- · corners 3/4" radius
- · see cleaning guidelines for cleaning information
- · brackets are satin nickel
- · 5 brackets included
- used with: CTL2306WR, CTL2306WL, CTL2306UR, CTL2306UL, CTL2304WR, CTL2304WL, CTL2304UR, CTL2304UL

To Order, Specify:

- Model Number
- 2 Acrylic Options: frosted or clear



Straight Acrylic Add On Screen Kit

in application

½ Features:

· bracket attaches to top side of worksurface with hardware and screws

14

· height above worksuface: 16"

59 1/4

- · corners 3/4" radius
- $\cdot\,$ see cleaning guidelines for cleaning information

151/2

- · brackets are satin nickel
- · 4 brackets included
- · used with: CTL2306, CTL2304

- 1 Model Number
- Acrylic Options: frosted or clear



Above-Surface Mount | Connect Style

Description	D	W	Н	CTN WT	CU FT	1 Model	List Price
Straight Acrylic Add On Screen Kit	1/4	39 1/4	15 ½	10	3	GPS1640-ACR	\$578
	heightcornerssee clebracke3 brackused w	t attaches above wor s ¾" radiu eaning guic ts are satii kets includ	ksuface: 1 s delines for n nickel ed 06WR, CT	6" cleaning i L1306WL	nformation	n hardware and screws	
	To Orde	r, Specify	/:				
in application	1 Mod	el Number					

29 1/4 151/2

2 Acrylic Options: frosted or clear

GPS1630-ACR

\$444



Features:

- · bracket attaches to top side of worksurface with hardware and screws
- · height above worksuface: 16"
- · corners ¾" radius
- · see cleaning guidelines for cleaning information
- · brackets are satin nickel
- · 2 brackets included
- · used with: CTL1306, CTL1304

To Order, Specify:

1 Model Number

2 Acrylic Options: frosted or clear

Corner Acrylic Add On Screen Kit

in application

Features:

31% 151/2

14

GPC1632-ACR


\$890

- · bracket attaches to top side of worksurface with hardware and screws
- · height above worksuface: 16"
- · corners 3/4" radius
- · see cleaning guidelines for cleaning information
- · brackets are satin nickel
- · 4 brackets included- 2 per panel
- · used with: CTC20T6W, CTC20T6UR, CTC20T6UL, CTC20T6UC, CTC20T4W, CTC20T4UR, CTC20T4UL, CTC20T4UC, CTC20S6UR, CTC20S6UL, CTC20S6UC, CTC20S4UR, CTC20S4UL, CTC20S4UC

To Order, Specify:

Model Number

2 Acrylic Options: frosted or clear





\$821

Description	D	W	Н	CTN WT	CU FT	Model	List Price
Radius Acrylic Add On Screen Kit	1/4	69	15½	16	4	GPR1669-ACR	\$939
	Features: bracket attaches to top side of wheight above worksuface: 16"				urface wi	th hardware and screws	


GPR1661-ACR



- · corners 3/4" radius
- \cdot see cleaning guidelines for cleaning information
- · brackets are satin nickel
- · 5 brackets included
- · ships flat
- · used with: CTI32126, CTI32124

To Order, Specify:

- 1 Model Number
- 2 Acrylic Options: frosted or clear





 \cdot bracket attaches to top side of worksurface with hardware and screws

14

· height above worksuface: 16"

60 1/4

· corners ¾" radius

· see cleaning guidelines for cleaning information

151/2

- · brackets are satin nickel
- · 4 brackets included
- · ships flat
- · used with: CTI32456, CTI32454


To Order, Specify:

1 Model Number

2 Acrylic Options: frosted or clear










- · bracket attaches to top side of worksurface with hardware and screws
- · height above worksuface: 16"
- · corners ¾" radius
- $\boldsymbol{\cdot}$ see cleaning guidelines for cleaning information
- · brackets are satin nickel
- · 4 brackets included
- · ships flat
- · used with: CTI32306, CTI32304

- 1 Model Number
- 2 Acrylic Options: frosted or clear



\$969

Description	D	W	Н	CTN WT	CU FT	1 Model	List Price
Acoustic PET Portable Slide on	1	28	29½	14	3	GP2830SL-PET	\$1,111
Privacy Screen	1	24	21½	10	2	GP2422SL-PET	\$843



Features:

- \cdot slide on to edge of 1" 11/2" worksurface
- · hard knob clamps to surface
- · minimum worksuface overhang clearance for bracket: 71/2"
- · height above worksuface: 16" for GP2422SL-PET and 24" for GP2830SL-PET
- · see cleaning guidelines for cleaning information

To Order, Specify:

- 1 Model Number
- 2 PET Color: ash grey or siver grey

Markerboard Portable Slide on **Privacy Screen**



 $\cdot\,$ slide on to edge of 1" - 11/2" worksurface

291/2

· hard knob clamps to surface

28


· minimum worksuface overhang clearance for bracket: 71/2"

26

GP2830SL-PMB

- · height above worksuface: 24"
- · plywood core
- · edges are white PVC








Description	D	W	Н	CTN WT	CU FT	• Model			List Price		
HPL Laminate Portable Slide on	1 1/16	11/16 28 29 1/2 26 3 GP2830SL-PHPL									
Privacy Screen	height aplywood	to edge of the clamps of worksurbove work core of matchi	s to surfac face overh ksuface: 2 ng PVC	e ang clear		oracket: 7½"					
in application	Mode 2 Lamin	l Number nate Color		Solid P ALB AI BLK BI BBL BI DWH DI SHD SI	labaster lack ridal Blanco esigner White hadow late Grey	Wood Grain Patterns BEL Belair BRK Brickdust CSK Cask	FLO Florence Walnut LOF Loft MES Mesa MIN Mineral MCH Mocha OBK Outback PIL Pilsner	PIN Pinnacle Walnut UMB Umber VAL Valley WLH Walnut Heights WEA Weathered Ash			



1	28	29 ½	14	3	GP2830SL-PETMB	\$1,638
1	24	211/2	10	2	GP2422SL-PETMB	\$1.111



- $\cdot\,$ slide on to edge of 1" 11/2" worksurface
- · hard knob clamps to surface
- \cdot minimum worksuface overhang clearance for bracket: 7 ½"
- · height above worksuface: 24"
- · exposed edges in PET silver grey
- $\boldsymbol{\cdot}$ see cleaning guidelines for cleaning information


To Order, Specify:

1 Model Number

Poufy - Freestanding Upholstered Screens


Description	D	W	Н	CTN WT	CU FT	Model	_	t Price Grade
60"h Single - Poufy Freestanding	2?1/8	48	60	73	9	INF4860-1SUP	СОМ	\$1,910
Upholstered Screen	· heavy cush	d wood supp white oak so nioned surfa	ports standa lid wood su ce not recor	ard pports avail mmended fo	or tacking	and add \$199 list	B C D E	\$1,966 \$2,076 \$2,268 \$2,515 \$2,725
	com ydg: 6	6 ³ / ₄	G	\$3,093 \$3,487 \$3,824				
	Options: · specify upl	holsterv			\$4,427			
	· specify wo	od species a	and finish				J	\$5,141

60"h Single - Poufy Freestanding Upholstered Screen



2 1/8	36	60	60	7	INF3660-1SUP	COM	\$1,771
Features:						Α	\$1,816
	ses with soli	d maple sur	ports			В	\$1,906
maple solid	wood suppor	ts standard				С	\$2,063
walnut or wh	ite oak solid	wood suppo	orts available	, specify	y and add \$199 list	D	\$2,264
,				0		Е	\$2,435
	-	e cut up ti	ne roll for 6	60"h tr	eestanding screens	F	\$2,735
, 0		or cleaning i	nformation			G	\$3,056
J	Baraoni io	o. 0.00				Н	\$3,330
•	Isterv					I	\$3,822
. , .	,	l finish				J	\$4,403
specify meta	l finish						
	Features: two metal ba maple solid v walnut or wh heavy cushio upholstery com ydg: 5 ½ see cleaning Options: specify upho specify wood	Features: two metal bases with soli maple solid wood suppor walnut or white oak solid heavy cushioned surface upholstery can only b com ydg: 5½ see cleaning guidelines fo Dptions: specify upholstery	Features: two metal bases with solid maple supmaple solid wood supports standard walnut or white oak solid wood supports standard walnut or white oak solid wood supports to support to sup	Features: two metal bases with solid maple supports maple solid wood supports standard walnut or white oak solid wood supports available heavy cushioned surface not recommended for ta upholstery can only be cut up the roll for (com ydg: 5½ see cleaning guidelines for cleaning information Dptions: specify upholstery specify wood species and finish	Features: two metal bases with solid maple supports maple solid wood supports standard walnut or white oak solid wood supports available, specified heavy cushioned surface not recommended for tacking upholstery can only be cut up the roll for 60"h from ydg: 5½ see cleaning guidelines for cleaning information Dptions: specify upholstery specify wood species and finish	Features: two metal bases with solid maple supports maple solid wood supports standard walnut or white oak solid wood supports available, specify and add \$199 list heavy cushioned surface not recommended for tacking upholstery can only be cut up the roll for 60"h freestanding screens com ydg: 5½ see cleaning guidelines for cleaning information Dptions: specify upholstery specify wood species and finish	Features: two metal bases with solid maple supports maple solid wood supports standard cuple solid wood supports standard cuple solid wood supports available, specify and add \$199 list heavy cushioned surface not recommended for tacking upholstery can only be cut up the roll for 60"h freestanding screens com ydg: 5½ see cleaning guidelines for cleaning information Diftions: specify upholstery specify wood species and finish

60"h Single - Poufy Freestanding Upholstered Screen




g	2 1/8	30	60	50	6	INF3060-1SUP	COM	\$1,562
	Features:						Α	\$1,603
	· two metal l	В	\$1,685					
	· maple soli	d wood supp	orts standa	rd			С	\$1,827
		and add \$199 list	D	\$2,010				
	· heavy cush			E	\$2,166			
	· uphoister		/ be cut up	the roll to	or 60"h free	estanding screens	F	\$2,438
	· see cleanir		s for cleanin	g informatio	n		G	\$2,730
	Options:	.8 Baraoo.	5 101 010a1111	8			Н	\$2,980
	· specify uph	I	\$3,426					
	 specify wor specify me 	J	\$3,955					
	specify file	tai iiiiiSII						



Poufy - Freestanding Upholstered Screens

Description	D	W	Н	CTN WT	CU FT	1 Model		t Price Grade
60"h Double - Poufy Freestanding	21/8	98	60	134	12	INF4860-2SUP	СОМ	\$2,985
Upholstered Screen	Features:						A	\$3,069
70	· two metal	В	\$3,236					
75	· maple soli	maple solid wood supports standard						
	walnut or white oak solid wood supports available, specify and add \$199 list							\$3,903
	 heavy cushioned surface not recommended for tacking upholstery can only be cut up the roll for 60"h freestanding screens 						E	\$4,222
	•	•	y be cut u	tne roll f	or 60"n tre	estanding screens	F	\$4,781
	com ydg: 10¼ see cleaning guidelines for cleaning information							\$5,379
	Options:						Н	\$5,891
	· specify upl	holsterv					1	\$6,806
_	 specify wood species and finish specify metal finish 							

60"h Double - Poufy Freestanding Upholstered Screen



COM \$2,782 21/8 74 60 107 10 INF3660-2SUP A \$2,852 Features: B \$2,990 \cdot two metal bases with solid maple supports C \$3,232 · maple solid wood supports standard \cdot walnut or white oak solid wood supports available, specify and add \$199 list D \$3,543 · heavy cushioned surface not recommended for tacking E \$3,808 · upholstery can only be cut up the roll for 60"h freestanding screens F \$4,271 · com ydg: 81/2 G \$4,767 · see cleaning guidelines for cleaning information H \$5,192 Options: I \$5,951 · specify upholstery · specify wood species and finish J \$6,850

60"h Double - Poufy Freestanding Upholstered Screen



COM \$2,352 9 21/8 62 60 89 INF3060-2SUP A \$2,412 Features: B \$2,530 · two metal bases with solid maple supports · maple solid wood supports standard C \$2,736 · walnut or white oak solid wood supports available, specify and add \$199 list D \$3,002 · heavy cushioned surface not recommended for tacking E \$3,227 · upholstery can only be cut up the roll for 60"h freestanding screens F \$3,622 · com ydg: 7 1/4 G \$4,045 · see cleaning guidelines for cleaning information H \$4,407 Options: I \$5,055 · specify upholstery J \$5,822 · specify wood species and finish · specify metal finish

To Order, Specify:

· specify metal finish

1 Model Number

Pabric Selection - vendor, pattern and color

Visit www.jsifurniture.com/finishes-and-materials/textiles for our textiles program.

See selection of standard and graded in manufacturers and patterns.

Metal Finish - Aged Bronze (ABZ), Gold (GLD), Matte Black (MBK), Pewter (PEW), Soft Bronze (SBZ), Soft Nickel (SNK), Stardust Silver (STS)

P ISI

Poufy - Freestanding Upholstered Screens

CTN Description D W H WT			CU FT	1 Model	List Price Per Grade			
60"h Triple - Poufy Freestanding	2 1/8	148	60	199	16	INF4860-3SUP	СОМ	\$4,303
Upholstered Screen	Features:						Α	\$4,418
	· two metal	bases with s	В	\$4,646				
711	· maple soli	d wood supp	С	\$5,044				
	· walnut or v	white oak so	lid wood su	pports availa	able, specify a	nd add \$199 list	D	\$5,557
	· heavy cust		E	\$5,993				
	upholste	F	\$6,755					
	, . 0	· com ydg: 14 · see cleaning guidelines for cleaning information						
	Options:	iig Baidoiliio	o ioi oioaiiii	15 111101111011	,,,		Н	\$8,271
	· specify up	holsterv		1	\$9,522			
	· specify wo	J	\$11,003					

60"h Triple - Poufy Freestanding Upholstered Screen



2 1/8	112	60	158	13	INF3660-3SUP	COM	\$3,528
Features:						Α	\$3,625
· two metal b	ases with s	solid maple s	supports			В	\$3,816
· maple solic	С	\$4,150					
· walnut or w	hite oak so	lid wood sup	ports availal	ole, specif	y and add \$199 list	D	\$4,580
· heavy cush				O		Е	\$4,946
-		y be cut up	the roll fo	r 60"h fr	eestanding screens	F	\$5,586
com ydg: 1see cleanin		s for cleanin	ø information	n		G	\$6,272
Options:	Н	\$6,859					
· specify uph	olsterv					I	\$7,908
· specify woo	,	and finish				J	\$9,151

60"h Triple - Poufy Freestanding Upholstered Screen · specify metal finish

· specify metal finish



;	2 1/8	94	60	132	11	INF3060-3SUP	COM	\$3,457	
	Features:						A	\$3,545	
	· two metal ba	ases with so	olid maple :	supports			В	\$3,720	
	· maple solid	wood supp	orts standa	rd			С	\$4,026	
	· walnut or wh	ite oak soli	id wood sup	ports availa	ble, specify	and add \$199 list	D	\$4,420	
	· heavy cushic				0		Е	\$4,755	
		-	be cut up	the roll to	or 60"h tro	eestanding screens	F	\$5,340	
	com ydg: 10see cleaning		for cleanin	o informatio	n		G	\$5,967	
		Baiaoiiiioo	TOT GIOGITITI	6			Н	\$6,504	
	Options: specify upho	letery					1	\$7,465	
	· specify wood	,	nd finish				J	\$8,602	



Poufy - Freestanding Upholstered Screens

Description	D	W	Н	CTN WT	CU FT	Model		t Price Grade
48"h Single - Poufy Freestanding	21/8	48	48	62	7	INF4848-1SUP	СОМ	\$1,799
Upholstered Screen	Features:						Α	\$1,847
	· two metal	В	\$1,940					
	· maple sol	id wood sup	С	\$2,104				
			and add \$199 list	D	\$2,314			
	heavy cus			E	\$2,493			
	· com ydg:	o ¾ ng guideline		F	\$2,806			
	· specify up	0 0	G	\$3,142				
	Options:	, , ,		Н	\$3,429			
		od species		1	\$3,943			
	· specify me	J	\$4,551					

48"h Single - Poufy Freestanding Upholstered Screen



COM \$1,686 21/8 36 INF3648-1SUP A \$1,725 Features: B \$1,803 · two metal bases with solid maple supports C \$1,938 · maple solid wood supports standard \cdot walnut or white oak solid wood supports available, specify and add \$199 list D \$2,112 · heavy cushioned surface not recommended for tacking E \$2,260 · com ydg: 4 3/4 F \$2,518 · see cleaning guidelines for cleaning information G \$2,796 · specify upholstery H \$3,033 Options: I \$3,457 · specify wood species and finish J \$3,959 · specify metal finish

48"h Single - Poufy Freestanding Upholstered Screen



COM \$1,548 21/8 30 48 44 5 INF3048-1SUP A \$1,585 Features: **B** \$1,659 · two metal bases with solid maple supports · maple solid wood supports standard C \$1,787 \cdot walnut or white oak solid wood supports available, specify and add \$199 list D \$1,951 · heavy cushioned surface not recommended for tacking E \$2,091 · com ydg: 41/2 F \$2,337 · see cleaning guidelines for cleaning information G \$2,599 · specify upholstery H \$2,824 Options: I \$3,226 · specify wood species and finish J \$3,702 · specify metal finish

To Order, Specify:

- 1 Model Number
- 2 Fabric Selection vendor, pattern and color Visit www.isifurniture.com/finishes-and-materials/textil

 $\label{thm:www.jsifurniture.com/finishes-and-materials/textiles} for our textiles \ program.$

See selection of standard and graded in manufacturers and patterns.

Metal Finish - Aged Bronze (ABZ), Gold (GLD), Matte Black (MBK), Pewter (PEW), Soft Bronze (SBZ), Soft Nickel (SNK), Stardust Silver (STS)

Γ.

Poufy - Freestanding Upholstered Screens

Description	D	W	W H	CTN CU WT FT 112 10	1 Model		Grade	
48"h Double - Poufy Freestanding	2 1/8	98	СОМ	\$2,776				
Upholstered Screen	Features:						A	\$2,846
	· two metal	bases with s	В	\$2,984				
	· maple soli	d wood supp	С	\$3,226				
	· walnut or		D	\$3,537				
	· heavy cust		E	\$3,802				
	· com ydg: 8 ½ · see cleaning guidelines for cleaning information						F	\$4,265
	· specify up	0 0	G	\$4,761				
and the second	Options:	•				Н	\$5,186	
	· specify wo	od species a	1	\$5,945				
	· specify me			J	\$6,844			

48"h Double - Poufy Freestanding Upholstered Screen



g	2 1/8	74	48	89	8	INF3648-2SUP	СОМ	\$2,624
	Features:						A	\$2,684
	· two metal bas	В	\$2,802					
	· maple solid w	С	\$3,008					
					, specify and add	d \$199 list	D	\$3,274
	heavy cushion	E	\$3,499					
	 com ydg: 7 ¼ see cleaning g 		or alconing i	nformation			F	\$3,894
	 see cleaning § specify uphols 	_	or cleaning i	IIIOIIIIauoii			G	\$4,317
	Options:	J. (3)					Н	\$4,679
	· specify wood	snecies and	finish				1	\$5,327
	· specify metal						J	\$6,094
	. ,							

48"h Double - Poufy Freestanding Upholstered Screen




ıg	2 1/8	62	48	76	7	INF3048-2SUP	СОМ	\$2,305		
	Features:						Α	\$2,355		
	· two metal ba	ses with soli	d maple sup	ports			В	\$2,452		
	· maple solid v	vood suppor	ts standard				С	\$2,623		
	· walnut or whi					dd \$199 list	D	\$2,843		
	•	leavy cushioned surface not recommended for tacking								
	 com ydg: 6¾ see cleaning 		vr oloaning ir	F	\$3,356					
	· specify uphol	_	G	\$3,706						
	Options:	0.0.7					Н	\$4,006		
	· specify wood	species and	finish				I	\$4,542		
	 specify metal 	•	minori				J	\$5,177		

اكا كا

Poufy - Freestanding Upholstered Screens


Description	D	W	Н	WT	FT	Model		Grade
48"h Triple - Poufy Freestanding	21/8	148	48	166	13	INF4848-3SUP	COM	\$3,996
Upholstered Screen	Features:						Α	\$4,091
	· two metal	bases with s	solid maple	supports			В	\$4,278
	· maple sol	id wood sup _l		С	\$4,605			
			and add \$199 list	D	\$5,026			
	,	hioned surfa	E	\$5,384				
	· com ydg:	11 72 ing guideline	F	\$6,010				
	· specify up	00	G	\$6,682				
	Options:						Н	\$7,256
		od species a	and finish				I	\$8,283
	· specify me	•					J	\$9,500

48"h Triple - Poufy Freestanding Upholstered Screen



21/8	112	48	131	11	INF3648-3SUP	COM	\$3,788
Features:						Α	\$3,868
· two metal ba	В	\$4,027					
· maple solid	С	\$4,304					
					and add \$199 list	D	\$4,661
heavy cushic		e not recon	nmended for	tacking		E	\$4,965
com ydg: 9 ³see cleaning		for alconin	a informatio	n		F	\$5,496
· specify upho		ioi cicamin	giiiioiiiiauo	11		G	\$6,065
Options:	notor y					Н	\$6,552
· specify wood	l species a	nd finish				1	\$7,423
 specify meta 	•	id iiiioii				J	\$8,454

48"h Triple - Poufy Freestanding Upholstered Screen



21/8	94	48	112	9	INF3048-3SUP	COM	\$3,372
Features:						Α	\$3,444
· two metal bas	es with solid	d maple su	oports			В	\$3,586
· maple solid w	ood support	ts standard	•			С	\$3,836
				specify and add	l \$199 list	D	\$4,156
· heavy cushion		not recomm	nended for tac	cking		Ε	\$4,428
com ydg: 8 3/4		v alaaning i	nformation			F	\$4,905
 see cleaning g specify uphols 	-	or cleaning i	momation			G	\$5,416
. , ,	ottory					Н	\$5,852
Options: - specify wood s	enecies and	finich				- 1	\$6,634
 specify wood s specify metal 	•	1111311				J	\$7,560
- j j							

To Order, Specify:

- 1 Model Number
- 2 Fabric Selection vendor, pattern and color

 $\label{thm:comfinishes-and-materials/textiles} \textbf{for our textiles program.} \\ \textbf{a} \\ \textbf{b} \\ \textbf{c} \\$

See selection of standard and graded in manufacturers and patterns.

Metal Finish - Aged Bronze (ABZ), Gold (GLD), Matte Black (MBK), Pewter (PEW), Soft Bronze (SBZ), Soft Nickel (SNK), Stardust Silver (STS)

Description	D	W	Н	WT	FT	Model	List Price
Knob - Freestanding Screen	3%	2 ½	7	2	1	INA0307F-KNOB	\$252
Accessory	Features						



Features:

- · supported by a metal hook
- · solid maple knob standardmaximum weight rating 10 lbs. (evenly distributed load)

- · solid walnut or white knob available, specify and add \$23 list
- · specify wood species and finish
- · specify metal finish

Shelves - Freestanding S	creen
Accessory	

6%	24	32	9	4	INA2432F-3SHELF	\$859
65/8	24	20	7	3	INA2420F-2SHELF	\$674
65/8	24	8	5	2	INA2408F-1SHELF	\$479

-3SHELF shown

Features:

- · supported by two metal hooks
- · shelf depth 43/4"
- · solid maple shelves standardmaximum weight rating 10 lbs. per shelf (evenly distributed load)

Options:

- · walnut or white oak shelves available, -3SHELF specify and add \$121 list,
- · -2SHELF specify and add \$82 list or -1SHELF specify and add \$44 list
- · specify wood species and finish
- · specify metal finish

Planter Shelves - Freestanding Screen Accessory

65/8	24	32	9	4	INA2432F-3PLANTER	\$903
65/8	24	20	7	3	INA2420F-2PLANTER	\$704
6 5/8	24	8	5	2	INA2408F-1PLANTER	\$493



-3PLANTER shown

Features:

- · supported by two metal hooks
- · planter shelf with 31/2" holes for plant containers
- · solid maple planter shelves standardmaximum weight rating 10 lbs. per shelf (evenly distributed load)

- · walnut or white oak shelves available, -3PLANTER specify and add \$121 list,
- · -2PLANTER specify and add \$82 list or -1PLANTER specify and add \$44 list
- · specify wood species and finish
- · specify metal finish

Pouch - Freestanding Screen Accessory



Features:

- · supported by two metal hooks
- · aniline dye leather
- · maximum weight rating 10 lbs. per shelf (evenly distributed load)

Options:

· specify metal finish



Description	D	W	Н	WT	CU FT	• Model	List Price
Sconce Lamp - Freestanding	17%	15	22	9	4	INA1522F-SCONCE	\$836

Sconce Lamp - Freestanding Screen Accessory



Features:

- · supported by a metal hook
- · 15' cord
- · cord mounted rocker on/off switch three prong plug fabric power cord
- \cdot on/off switch on 32" from light field assembly required
- · maximum 60 watt light bulb, NOT included/LED bulb recommended

Options:

- · specify wood species and finish
- · specify mode upholstery color for shade
- · specify cord color
- · specify metal finish

Tray - Poufy and Square Upholstered Wall Mound Tile Accessory



4 ¾ Features:

- 24
- · for use with square laminate marker, cork and tackable screen accessories

2

- supported by two metal brackets
- · tray can be field installed on any 24" or wider tile except glass marker tiles
- tray can not be installed or intermediate positioned tiles (space is required below tile for clearance)

INA0524T

· maximum weight rating 10 lbs. per shelf (evenly distributed load)

Options

- · walnut or white oak sconce support available, specify and add \$44 list
- · specify wood species and finish

To Order, Specify:



Metal Finish - Aged Bronze (ABZ), Gold (GLD), Matte Black (MBK), Pewter (PEW), Soft Bronze (SBZ), Soft Nickel (SNK), Stardust Silver (STS)

Specifications

- extruded PVC ½" thick panel
- · natural cork 1/4" thick tackable face
- · extruded aluminum mounting Z clips

\$412

Description	D	W	Н	WT	FT	Model	List Price
Square - Laminate Marker Tile	2 1/8	24	24	17	2	INA2424F-SQM	\$574

CTN


Freestanding Screen Accessory



- · supported by two metal hooks
- · white markerboard high pressure laminate
- · white edge band

Options:

· specify metal finish





· supported by two metal hooks

24

· white markerboard high pressure laminate

24


17

2

· white edge band



· specify metal finish





24 24 8 2 INA2424F-SQC

INA24F-RDM

\$538


\$566



- · supported by two metal hooks
- · extruded PVC ½" thick panel
- · natural cork 1/4" thick tackable face

Options:

· specify metal finish



2 1/8

24 24

2

INA24F-RDC

\$538

Features:

- · supported by two metal hooks
- · extruded PVC ½" thick panel
- · natural cork 1/4" thick tackable face

Options:

· specify metal finish





Description	D	W	Н	CTN WT	CU FT	Model		t Price Grade				
Square - Tackboard Tile	2 1/8	24	24	11	2	INA2424F-SQUT	COM	\$531				
Freestanding Screen	Screen Features:							\$540				
Accessory		· supported by two metal hooks										
_		· ½" soft tack core face										
	· 1/4" hardw	· 1/4" hardwood backer panel										
	covered w		glued and st	aple upholst	tery		E	\$652				
	· com ydg:	1 1/2"					F	\$707				
		Options:										
	· specify upholstery							\$815				
	· specify me	etai iinisn					1	\$904				
							J	\$1,010				

Round - Tackboard Tile	2 1/8	24	24	11	2	INA24F-RDUT	COM	\$532			
Freestanding Screen Accessory		Features: - supported by two metal hooks - ½" soft tack core face									
	· 1/4" hardw	 ½" soft tack core face ¼" hardwood backer panel covered with surface glued and staple upholstery com ydg: 1½" 									
	Options: · specify up	G	\$795 \$883 \$958								
	· specify me	etal finish					1	\$1,092 \$1,250			

To Order, Specify:

- 1 Model Number
- Pabric Selection vendor, pattern and color Visit www.jsifurniture.com/finishes-and-materials/textiles for our textiles program. See selection of standard and graded in manufacturers and patterns.
- 3 Metal Color Arctic Silver (ASL), Matte Black (MBK), Pewter (PEW) or Soft Nickel (SNK)

Specifications

- \cdot two 12mm sandwiched birch plywood panel frames
- · ½" polyurethane foam surface cushions on both faces
- · living hinge is high density polyethylene with sewn upholstery
- · solid hardwood supports
- · 12 gauge metal base feet



Description	D	W	Н	CTN WT	CU FT	1 Model	List Price
Frosted Acrylic Freestanding	42	42	64	100	44	CL4242-64PP-ACR	\$4,061

Fixed Screen




Features:

- · slider glides for easy mobility
- · ships kd
- · frame is arctic silver

To Order, Specify:

Model Number

TFL Freestanding Mobile Screen



3/4	48	72	95	16	GP4872MS-TFL	\$1,594
3/4	42	72	86	15	GP4272MS-TFL	\$1,565
3/4	36	72	75	13	GP3672MS-TFL	\$1,535

Features:

- · overall height: 72"
- · base allows for offset nesting
- · locking casters
- · see cleaning guidelines for cleaning information

To Order, Specify:

1 Model Number
2 Laminate Color
3 Metal Finish

2 Laminate Color

Solid Patterns: ALB Alabaster BLK Black BBL Bridal Blanco DWH Designer White SHD Shadow SLG Slate Grey ZEN Zen Grey

Wood Grain Patterns: FLO Florence Walnut BEL Belair BRK Brickdust LOF Loft CSK Cask MES Mesa CLY Clay MIN Mineral EGR Egret MCH Mocha FAW Fawn **OBK** Outback

PIL Pilsner

PIN Pinnacle Walnut UMB Umber VAL Valley WLH Walnut Heights WEA Weathered Ash

TFL Freestanding Fixed Screen



3/4	48	72	95	16	GP4872FS-TFL	\$1,550
3/4	42	72	86	15	GP4272FS-TFL	\$1,518
3/4	36	72	75	13	GP3672FS-TFL	\$1,491

FLN Flint

Features:

- · overall height: 72"
- · base allows for offset nesting
- · see cleaning guidelines for cleaning information

To Order, Specify:



2 Laminate Color

Solid Patterns: ALB Alabaster BLK Black BBL Bridal Blanco DWH Designer White SHD Shadow SLG Slate Grey

ZEN Zen Grey

Wood Grain Patterns: BEL Belair

BRK Brickdust CSK Cask CLY Clay EGR Egret FAW Fawn

FLO Florence Walnut LOF Loft MES Mesa MIN Mineral MCH Mocha

OBK Outback

PIL Pilsner

PIN Pinnacle Walnut UMB Umber VAL Valley WLH Walnut Heights WEA Weathered Ash



Description	D	W	Н	CTN WT	CU FT	1 Model	List Price
Freestanding Mobile Screen	24	42	75	162	58	NAB2442-75MMB	\$4,465
	Features • four no	s: n-locking	casters				



- $\boldsymbol{\cdot}$ base allows for offset nesting

- 1 Model Number
- 2 Markerboard or Cork Board
- Metal Finish: matte black or arctic silver

Description	D	W	Н	CTN WT	CU FT	Model	List Price Per Grade	
Freestanding Mobile Screen - Tackboard One Side	24	42	75	162	58	NAB2442-75MTKD	СОМ	\$4,551
	Features:	Α	\$4,615					
	· four non-lo	В	\$4,628					
	· base allow	С	\$4,666					
	To Order, S	D	\$4,719					
		E	\$4,767					
	Model Number Fabric Selection						F	\$4,822
	3 Metal F	G	\$4,887					
	Wietai	iiiioii. Illatte	DIGGN OF AIGI	uo suvei			Н	\$5,020
	3						I	\$5,083
•							J	\$5,200

Privacy Solutions - Cleaning Guidelines

We offer numerous textile and hard surface options that will stand up to the rigors of frequent bleach cleaning, ranging from untreated surfaces to those with anti-microbial topcoats. Please contact our Customer Support Team today for more information.

MATERIALS:

ACRYLIC: water based foam or cleaner and bleach cleanable (5:1)*

ACOUSTIC PET: bleach solution cleanable (2% bleach)*

HPL LAMINATE: recommended by suppliers: Clorox Healthcare Bleach Germicidal wipes, Virex II 256, PDI Super Sani-Cloth wipes, PDI Sani-Prime Germicidal spray

TFL LAMINATE: cleaning guidelines will vary between manufacturer; cleaning details available upon request

VENEER: first clean with warm soapy water - do not soak. Pledge Antibacterial cleaner or bleach free disinfectant wipes are recommended

COATED FABRIC: water based foam or cleaner and bleach cleanable $(4:1)^*$

FABRIC: cleaning guidelines will vary between fabric type, pattern and manufacturer; see material recommendations for bleach-solution cleanable fabrics

*Bleach solution cleanable:

Complies with BIFMA HCF 8.1 guidelines Important to rinse repeatedly with cool, clean water after cleaning to remove all residueMore cleaning details from raw material suppliers available upon request

All surfaces with the exception of some fabrics can be cleaned with Clorox Healthcare Bleach Germicidal Wipes as well as bleach free wipes. This includes all coated fabric, laminate, acrylic and metal surfaces.


PRIVACY




Privacy Solutions Product Information

Screen Mounting

- · screens supported by brackets with powder coated cover plates to underside of top
- · mounting brackets slide out for routing cables to underside of top or to install monitor arm
- \cdot screens available for approach and end of table applications
- · screen link kits available (see below) for shared privacy screen application between two tables approach or end applications
- · screens must be removed before tilting









Privacy Solutions Product Information

Under-Surface Mount



Above-Surface Mount






Privacy Solutions Product Information

Above-Surface Mount

Connect Style



Side-Mount



